International Filing Date: April 21, 2004

Page: 6

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1.(Currently Amended) A single- or multi-layered synthetic-based food casing comprising one or more layers, wherein the layer or at least one of the layers comprises an antimicrobially active amount of at least one metal salt.
- 2. (Currently Amended) The food casing as claimed in claim 1, wherein the metal salt comprises ions of silver, copper, or zinc and/or other metal ions having antimicrobial[[,]] preferably antibacterial[[,]] activity.
- 3. (Currently Amended) The food casing as claimed in claim 1 or 2, wherein it is a said food casing based on comprises polyamide and/or copolyamide.
- 4. (Currently Amended) The food casing as claimed in one or more of claims 1 to 3, wherein the (co)polyamide is comprises an aliphatic (co)polyamide.
- 5. (Currently Amended) The food casing as claimed in claim 4, wherein the aliphatic (co)polyamide is blended with at least one partially aromatic (co)polyamide[[,]] preferably at least one amorphous partially aromatic (co)polyamide.
- 6. (Currently Amended) The food casing as claimed in claim 5, wherein the fraction of the at least one partially aromatic (co)polyamide is no greater than 50% by weight, preferably no greater than 30% by weight[[,]] in each case based on the total weight of all (co)polyamides.

International Filing Date: April 21, 2004

Page: 7

- 7. (Currently Amended) The food casing as claimed in one or more of claims 1 to 6, wherein the fraction of metal salt(s) in the single-layered casing, or in a correspondingly finished layer of the multi-layered casing, is 0.005 to 4.0% by weight, preferably about 0.01 to 2.0% by weight[[,]] in each case based on the total weight of the casing[[,]] or of the relevant layer in the casing.
- 8. (Currently Amended) The food casing as claimed in one or more of claims 1 to 7, wherein the fraction of metal ions is 0.0025 to 2% by weight, preferably 0.005 to 1.0% by weight[[,]] in each case based on the total weight of the casing or of the relevant layer of the casing.
- 9. (Currently Amended) The food casing as claimed in one or more of claims 1 to 8, wherein it said food casing is multi-layered and at least the outer layer comprises at least one antibacterially active metal salt.
- 10. (Currently Amended) The food casing as claimed in one or more of claims 1 to 9, wherein it said food casing is tubular[[,]] preferably also seamless.
- 11. (Currently Amended) The food casing as claimed in one or more of claims 1 to 10, wherein it said food casing is unstretched.
- 12. (Currently Amended) The food casing as claimed in one or more of claims 1 to 10, wherein it said food casing is biaxially stretched[[,]] preferably also heat set.
- 13. (Currently Amended) The food casing as claimed in one or more of claims 1 to 12, wherein it said food casing is multi-layered and the further comprises layers are based on polyolefins, polyesters, poly[[(]]vinylidene chloride[[)]], poly[[(]]ethylene-co-vinyl acetate[[)]] and/or poly[[(]]ethylene-co-methyl methacrylate[[)]].

International Filing Date: April 21, 2004

Page: 8

- 14. (Currently Amended) The food casing as claimed in claim 13, wherein it said food casing has no more than 5 layers.
- 15. (Currently Amended) The food casing as claimed in claim 13, wherein it said food casing has a symmetrical structure.
- 16. (Currently Amended) The food casing as claimed in claim 13, wherein it said food casing has an asymmetrical structure.
- 17. (Currently Amended) The food casing as claimed in one or more of claims 1 to 17, wherein it said food casing is presoaked ready-to-stuff.
- 18. (Currently Amended) The food casing as claimed in one or more of claims 1 to 18, wherein it said food casing has a wall thickness of 15 to 150 μm[[,]] preferably from 20 to 130 m [[,]] particularly preferably from 35 to 90 μm.
- 19. (Currently Amended) The food casing as claimed in one or more of claims 1 to 19, wherein it said food casing has a diameter of about 20 to 200 mm[[,]] preferably 30 to 150 mm.
- 20. (Currently Amended) A method for producing a food casing as claimed in one or more of claims 1 to 20, which comprises mixing a master batch which comprises about 5 to 40% by weight[[,]] preferably about 10 to 25% by weight[[,]] of at least one antimicrobially active metal salt with the remaining constituents of the casing or the relevant layer of the casing and then extruding or coextruding the mixture.
- 21. (Currently Amended) The method as claimed in claim 21 20, wherein the master batch comprises as support material a polyolefin[[,]] preferably a polyethylene[[,]] a

International Filing Date: April 21, 2004

Page: 9

polypropylene[[,]] a copolymer having ethylene and propylene units[[,]] an ethylene/ $(C_{[[4]]}-C_8)$ α -olefin copolymer[[,]] a propylene/ $(C_{[[4]]}-C_8)$ α -olefin copolymer[[,]] or an ethylene/propylene/ $(C_{[[4]]}-C_8)$ α -olefin copolymer[[,]] or a polyamide.

22. (New) The method as claimed in claim 21, wherein said polyolefin comprises polyethylene, a polypropylene, a copolymer having ethylene and propylene units, an ethylene/ (C_4-C_8) α -olefin copolymer, a propylene/ (C_4-C_8) α - olefin copolymer, or an ethylene/propylene/ (C_4-C_8) α -olefin copolymer, or a polyamide.